

LYKA AD 2.1 LOKACIJSKI INDIKATOR I NAZIV AERODROMA **LYKA KRALJEVO/Brege**
AERODROME LOCATION INDICATOR AND NAME

LYKA AD 2.2 GEOGRAFSKI I ADMINISTRATIVNI PODACI O AERODROMU
AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	<i>Koordinate ARP-a i položaj na AD</i> <i>ARP coordinates and site at AD</i>	434355N 0204305E 105.31° GEO / 551 M od/form THR 10
2	<i>Smer i rastojanje ARP-a od centra grada</i> <i>Direction and distance of ARP from city center</i>	70° GEO 2,6 KM od centra Kraljeva 70° GEO 2.6 KM from center of Kraljevo
3	<i>ELEV / Referentna temperatura / Srednja minimalna temperatura</i> <i>ELEV / Reference temperature / Mean low temperature</i>	660 FT (201 M) / 29,1°C (JUL) / Nema podataka 660 FT (201 M) / 29.1°C (JUL) / Data not AVBL
4	<i>Undulacija geoida na AD ELEV PSN</i> <i>Geoid undulation at AD ELEV PSN</i>	147 FT (45 M)
5	<i>MAG VAR / Godišnja promena</i> <i>MAG VAR / Annual change</i>	5°E (2020) / + 7.5'
6	<i>Operater AD, adresa</i> <i>AD Operator, address</i> <i>TEL:</i> <i>TEL/FAX:</i> <i>e-mail:</i>	Aeroklub „Mihajlo Petrović” Sportski aerodrom bb 36000 Kraljevo Srbija / Serbia +381 62 252 429; +381 62 756 144 +381 36 311 832 djuropilot@gmail.com
7	<i>Odobrene vrste saobraćaja</i> <i>Types of traffic permitted</i>	Domaći VFR Domestic VFR
8	<i>Primedbe</i> <i>Remarks</i>	AD dozvoljen za korišćenje samo danju u uslovima za VFR letenje. Namena AD: sportsko i amatersko letenje. Referentni kod AD: 1B AD approved for daylight operations only in conditions suitable for VFR flying. Purpose of AD: sport and leisure flying. AD reference code: 1B

LYKA AD 2.3 RADNO VREME
OPERATIONAL HOURS

1	<i>Vreme otvorenosti AD</i> <i>AD hours of operation</i>	DLY SR – SS
12	<i>Primedbe</i> <i>Remarks</i>	Strani ACFT moraju da najave dolazak MNM 6 časova unapred. Foreign ACFT must notify arrival MNM 6 hours in advance.

**LYKA AD 2.4 SLUŽBE I SREDSTVA ZA OPISLUŽIVANJE
HANDLING SERVICES AND FACILITIES**

2	Vrste goriva / maziva Fuel / oil types	100LL / W100 Samo za sopstvene potrebe For own purposes only
3	Sredstva za snabdevanje gorivom / kapacitet Fuelling facilities / capacity	Nema podataka Data not AVBL
5	Hangarski prostor za vazduhoplove u prolazu Hangar space for visiting aircraft	Hangar 35 x 20 M
6	Sredstva za popravku vazduhoplova u prolazu Repair facilities for visiting aircraft	NIL

**LYKA AD 2.5 POGODNOSTI ZA KORISNIKE
USER FACILITIES**

1	Hoteli Hotels	Na aerodromu (8 dvokrevetnih soba) i u Kraljevu At the aerodrome (8 two-bed rooms) and in Kraljevo
2	Restorani Restaurants	Na aerodromu At the aerodrome
3	Prevoz Transportation	Autobus Bus
4	Medicinske usluge Medical facilities	Ambulanta na aerodromu, bolnica (2 KM) Ambulance at aerodrome, hospital (2 KM)
5	Banka i pošta Bank and Post Office	U gradu (2 KM) In the city (2 KM)
6	Turistička agencija Tourist Office	U gradu (2 KM) In the city (2 KM)

**LYKA AD 2.6 SPASILAČKO-VATROGASNA SLUŽBA
RESCUE AND FIRE FIGHTING SERVICES**

1	Vatrogasna kategorija aerodroma AD category for fire fighting	Kategorija 2 Category 2
---	--	----------------------------

**LYKA AD 2.8 PRISTANIŠNE PLATFORME, RULNE STAZE I MESTA PROVERE POLOŽAJA
APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA**

1	Oznaka, površina i nosivost pristanišne platforme Apron designation, surface and strength	A	ASPH	5700 KG
2	Oznaka, širina, površina i nosivost rulnih staza Taxiways designation, width, surface and strength	A	22 M	trava / grass 5700 KG
		B	46 M	trava / grass 5700 KG
3	Lokacija i nadmorska visina ACL ACL location and elevation	Nema podataka Data not AVBL		
6	Primedbe Remarks	NIL		

**LYKA AD 2.9 SISTEM ZA VOĐENJE I KONTROLU KRETANJA I DNEVNE OZNAKE
SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND
MARKINGS**

2	Dnevne oznake i svetla RWY i TWY RWY and TWY markings and LGT	Dnevne oznake Marking aids	RWY	Brojne oznake, ivice, izmešteni pragovi Designators, edges, displaced THR
		Svetla Lights	TWY	NIL NIL

**LYKA AD 2.10 AERODROMSKE PREPREKE
AERODROME OBSTACLES**

Oblast 2 / Area 2					
Naziv prepreke	Vrsta prepreke	Koordinate	ELEV vrha prepreke / HGT (FT)	Oznake / LGT vrsta / boja	Primedbe
OBST ID	OBST Type	COORD	ELEV at TOP / HGT (FT)	Markings / LGT type / colour	Remarks
1	2	3	4	5	6
LYKA_OB2B_0001	Dalekovod Power line	434401.9N 0204227.7E	718 / 52	Nema podataka / Data not AVBL	*
LYKA_OB2B_0002	Dalekovod Power line	434345.9N 0204348.2E	728 / 85	Nema podataka / Data not AVBL	**

* 305 M od END RWY 28 u produženoj RCL / 305 M from RWY 28 END in extended RCL

** 461 M od END RWY 10 u produženoj RCL / 461 M from RWY 10 END in extended RCL

**LYKA AD 2.12 FIŽIČKE KARAKTERISTIKE POLETNO-SLETNE STAZE
RUNWAY PHYSICAL CHARACTERISTICS**

<i>Oznaka RWY</i>	<i>GEO BRG</i>	<i>Dimenzije RWY (M)</i>	<i>Nosivost i površina RWY i SWY</i>	<i>Koordinate THR i kraja RWY</i>	
<i>RWY Designator</i>	<i>True BRG</i>	<i>Dimensions of RWY (M)</i>	<i>Strength and surface of RWY and SWY</i>	<i>THR and RWY end coordinates</i>	<i>THR ELEV</i>
1	2	3	4	5	6
10	105.32°	1102 x 52	5700 KG trava / grass	434355.49N 0204259.80E 434349.83N 0204328.33E	652 FT (199 M)
28	285.32°	1102 x 52	5700 KG trava / grass	434352.40N 0204315.41E 434359.26N 0204240.84E	651 FT (199 M)

<i>Oznaka RWY</i>	<i>Nagib RWY-SWY</i>	<i>Dimenzije SWY (M)</i>	<i>Dimenzije CWY (M)</i>	<i>Dimenzije osnovne staze (M)</i>	<i>Dimenzije RESA (M)</i>	<i>Primedbe</i>
<i>RWY Designator</i>	<i>Slope of RWY-SWY</i>	<i>SWY dimensions (M)</i>	<i>CWY dimensions (M)</i>	<i>Strip dimensions (M)</i>	<i>RESA dimensions (M)</i>	<i>Remarks</i>
1	7	8	9	10	11	12
10	-0.6% (400 M), +0.4% (250 M), -0.8% (150 M), +0.1% (302 M)	NIL	NIL	1300 x 100	Nema podataka / Data not AVBL	NIL
28	-0.1% (302 M), +0.8% (150 M), -0.4% (250 M), +0.6% (400 M)	NIL	NIL	1300 x 100	Nema podataka / Data not AVBL	NIL

**LYKA AD 2.13 DEKLARISANE DUŽINE
DECLARED DISTANCES**

<i>Oznaka RWY RWY designator</i>	<i>TORA (M)</i>	<i>TODA (M)</i>	<i>ASDA (M)</i>	<i>LDA (M)</i>	<i>Primedbe Remarks</i>
1	2	3	4	5	6
10	1102	1102	1102	662	NIL
28	1102	1102	1102	802	

**LYKA AD 2.14 PRILAZNA SVETLA I SVETLA POLETNO-SLETNE STAZE
APPROACH AND RUNWAY LIGHTING**

NIL

**LYKA AD 2.15 OSTALE SVETLOSNE OZNAKE, REZERVNO NAPAJANJE
OTHER LIGHTING, SECONDARY POWER SUPPLY**

1	<i>Lokacija, karakteristike i radno vreme ABN / IBN</i> <i>ABN / IBN location, characteristics and hours of operation</i>	NIL
3	<i>Svetla ivice i ose TWY</i> <i>TWY edge and centre line lighting</i>	NIL
5	<i>Primedbe</i> <i>Remarks</i>	WDI: 40 M severno od ivice RWY kod izmeštenog THR 28 (videti AD kartu). 40 M North of displaced THR 28 RWY edge (see AD chart).

**LYKA AD 2.16 POVRŠINA ZA SLETANJE HELIKOPTERA
HELICOPTER LANDING AREA**

NIL

**LYKA AD 2.17 VAZDUŠNI PROSTOR U KOME SE PRUŽAJU ATS USLUGE
ATS AIRSPACE**

1	<i>Oznaka i horizontalne granice</i> <i>Designation and lateral limits</i>	ATZ/RMZ BREGE 434158N 0203608E (selo/village Konarevo) – 434511N 0204023E (1 KM E od/from Adrani) – 434858N 0204028E (2 KM E od/from Cvetke) – u smeru kazaljke na satu po luku kruga poluprečnika 10 KM sa centrom u 434354.54N 0204304.59E (ARP) / in clockwise direction on the arc of a circle with a radius of 10 KM centered at 434354.54N 0204304.59E (ARP) – 434158N 0203608E (selo/village Konarevo)
2	<i>Vertikalne granice</i> <i>Vertical limits</i>	3000 FT (900 M) AMSL / GND
3	<i>Klasifikacija vazdušnog prostora</i> <i>Airspace classification</i>	Klasa G, kada je ATZ/RMZ aktivna Class G, when ATZ/RMZ is active
4	<i>Pozivni znak ATS jedinice</i> <i>Jezik</i> <i>ATS unit call sign</i> <i>Language</i>	Brege RADIO Srpski, engleski Brege RADIO Serbian, English
5	<i>Prelazna apsolutna visina</i> <i>Transition altitude</i>	10000 FT (3050 M) AMSL
6	<i>Primedbe</i> <i>Remarks</i>	NIL

**LYKA AD 2.18 SREDSTVA ZA KOMUNIKACIJU U PRUŽANJU ATS USLUGA
ATS COMMUNICATION FACILITIES**

<i>Naziv službe</i>	<i>Pozivni znak</i>	<i>Radno vreme</i>	<i>Primedbe</i>	
<i>Service designation</i>	<i>Call sign</i>	<i>FREQ (MHZ)</i>	<i>Hours of operation</i>	<i>Remarks</i>
1	2	3	4	5
RADIO	Brege RADIO	123.500	Isto kao AD Same as AD	NIL

**LYKA AD 2.19 RADIO-NAVIGACIONI I UREĐAJI ZA SLETANJE
RADIO NAVIGATION AND LANDING AIDS**

Videti kartu AD 2 LYKA 2.4–1. Pripadajuće podatke za radio-navigacione uređaje videti u ENR 4.1.
See AD 2 LYKA 2.4–1 chart. For related data see ENR 4.1.

LYKA AD 2.23 DODATNE INFORMACIJE**1. Tačke obaveznog javljanja pre ulaska u
ATZ/RMZ BREGE:**

1.1 **BOKOV** 434511.2N 0204023.2E
(sa zapada, 1 KM NE od Boljkovca –
nadvožnjaka preko pruge)

1.2 **MATAR** 434123.4N 0203629.2E
(sa juga i zapada, mesto Mataruška banja)

1.3 **LYKEA** 434135.2N 0204948.0E
(sa istoka, severna ivica sela Rakovica)

1.4 Visina na tačkama obaveznog javljanja:
– u dolasku: 1000 FT (300 M) AGL
– u odlasku: 500 FT (150 M) AGL

2. Aerodromski saobraćajni krug

2.1 Za helikoptere i avione:
južni na 1000 FT (300 M) AAL.

2.2 Za motorne zmajeve i jedrilice:
južni na 700 FT (200 M) AAL.

3. Upozorenja

3.1 Dok su operacije poletanja ili sletanja
vazduhoplova na RWY u toku, svim ostalim
ACFT je zabranjeno rulanje po TWY A i
TWY B.

3.2 Za letenje je neophodna koordinacija sa
šefom smene nadležne jedinice kontrole
letenja (videti ENR 1.10).

3.3 Videti NOTAM-e za poslednje informacije.

LYKA AD 2.23 ADDITIONAL INFORMATION**1. Compulsory reporting points before
entry into BREGE ATZ/RMZ:**

1.1 **BOKOV** 434511.2N 0204023.2E
(from West, 1 KM NE from Boljkovac –
railroad overpass)

1.2 **MATAR** 434123.4N 0203629.2E
(from South and West, Mataruška banja
town)

1.3 **LYKEA** 434135.2N 0204948.0E
(from East, northern edge of village Rakovica)

1.4 Height at compulsory reporting points:
– for ARR: 1000 FT (300 M) AGL
– for DEP: 500 FT (150 M) AGL

2. Aerodrome traffic circuit

2.1 For helicopters and airplanes:
southern at 1000 FT (300 M) AAL.

2.2 For motor kites and gliders:
southern at 700 FT (200 M) AAL.

3. Warnings

3.1 During take-off and landing operations on
RWY, it is forbidden to all other ACFT to taxi
on TWY A and TWY B.

3.2 For flying, coordination with Duty
manager of competent ATS unit is necessary
(see ENR 1.10).

3.3 Consult NOTAM for latest information.

**LYKA AD 2.24 KARTE KOJE SE ODOSE NA AERODROM
CHARTS RELATED TO AN AERODROME**

Aerodrome Chart	AD 2 LYKA 2.1–1
Visual Operation Chart	AD 2 LYKA 2.4–1